

Fig. 1a




Fig. 1b




Fig. 1c




Fig. 2a




Fig. 2b




Fig. 3a




Fig. 3b

Initial Frequencies (Hz)					
400	and	100			
400 + 100 = 500	and	400 - 100 = 300			
500 + 300 = 800	and	500 - 300 = 200			
800 + 200 = 1000	and	800 - 200 = 600			
1000 + 600 = 1600	and	1000 - 600 = 400			
Sum (Added) Frequencies (Hz)	Difference (Subt	racted) Frequencies (Hz)			
400		100			
500		300			
800		200			
1000		600			
1600		400			
2000		1200			
3200		800			

Fig. 4






Fig. 5


Fig. 6d






1

v₁ 109678








Fig. 9a






Fig. 9b

Frequency Curves - THz (relative intensity)

V	IV	III	II	I
40 (6) 64 (4)	74 (15) 114 (8) 138 (5)	160 (40) 234 (20) 274 (12) 298 (7) 314 (5)	456 (300) 616 (80) 690 (30) 731 (15) 755 (8) 770 (6) 781 (5)	2466 (1000) 2923 (300) 3082 (100) 3156 (50) 3196 (30) 3220 (20) 3236 (15)

Fig. 10








Fig. 12




Fig. 13a






Fig. 13b



Frequency —

Spectral pattern at low temperature

Fig. 15a



Spectral pattern at moderate temperature

Fig. 15b




Fig. 15c






Fig. 16




Separate and distinct spectral curves at low temperature


Fig. 17a



Overlapping spectral curves at higher temperature, allowing resonant energy transfer

Fig. 17b








Fig. 21b






Fig. 23a




Fig. 23b




Fig. 23c






Fig. 23d








Fig. 24c




Fig. 25a






Fig. 25a





- OxygenAluminum or silicon

Fig. 26a




Fig. 26b




Fig. 26c





Fig. 27






Fig. 29






Fig. 30a



Emission spectrum
T = 50K
Fig. 30b



 $\begin{array}{c} \text{High resolution spectrum} \\ \text{Fig. 31} \end{array}$




Fig. 32








Fig. 33





937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 $\,\mathrm{cm}^{-4}$





Frequency relative to P(14) CO₂ laser line (MHz)







Fig. 38











Fig. 41

Fig. 42



Rotation Transiti				
0→1	89,740.46	88,319.18	86,921.20	
1→2	179,470.35	176,627.91	173,832.04	171,082.27
2→3	269,179.18	264,915.79	260,722.24	256,597.84
3→4.	358,856.19	353,172.23	347,581.39	342,082.66
<u>4→5</u>	448,491.07			
Vibratio Level	nal 0	1	. 2	3


Fig. 43a

Rotational and Vibrational Frequencies for LiF

Differences Between Rotational And Vibrational Frequencies (MHz) For LiF


Rotation Transiti			1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	12, 101 111
0→1	1,421.28	1,397.98		
1→2	2,842.44	2,795.87	2,749.77	
2→3	4,263.39	4,193.55	4,124.40	
3→4	5,683.96	5,590.84	5,498.73	
4.→5	7,104.24			
Vibration Level	nal 0	1	2	3


Fig. 43b





Frequency -----

Fig. 44













Fig. 52









Fig. 54










Fig. 58





Fig. 59









Fig. 61b










Fig. 65b




Fig. 66



Fig. 67a





Fig. 67b



Column C	100 364,501	7.7144	10.7		15,73		24.2382	40.1	985	64.43		74,00	16	114.	2	138.428	159	1.881	233,8	182 T	274.08	1	298.319	314 (151	AEC 011
Mile			 	0			0	 					\Box		_		1	0				' 	.30.313			456.811
Color	438 127	0		Ò	0		Ů	<u> </u>			+		+	0	4	0	4				Ö	1	Ô		0	0
18 18 18 18 18 18 18 18						\perp					\exists		\dagger	<u>v</u>	\forall	<u>~</u> _	+		U	+	U	+-		 		0
Color											_[:			Û		0	1						_ <u>-</u>			
Company Comp	459561	0											4	- 0	4				0	二	0		j			
Section 1978 1							O				+		+	<u>v</u>	+		┼─-		<u>/</u>	-+			ĺ			1.00602
Sign				-							\perp			0	_		 	<u> </u>		\dashv		+-	<u> </u>	U	\dashv	
Section Sect	512918					+	<u> </u>		_		- -		4.	0	4				0			1-	0	0	-+	
Section Sect	513 333				Ŏ		Ü		+	- 	+	<u> </u>	+	<u>U</u>	+				- 0	\top	0		0	0		
Section Sect	520.151			0	0	\perp			-			Ŏ	士	Ö	+		 		<u>v</u>	+	<u>Ŭ</u> -		0	0		
Section Sect	547 489			_											I				<u> </u>	1	99655	+-		0		
35,000						\neg			-	<u>`</u>	+-		+		+		<u> </u>	-		Į.	.99754		0	Ŏ		
Section Sect								(+		+		+	<u>U</u>	├			-	{	 	0	- 0		
SST SST				_						<u>-</u> _		0		0	1	ő	 		- 1	+	<u>v</u>	+	<u> </u>	<u>U</u>		
Section Sect									4		1.	00202	\perp		I				0	\top		+-			+	
Section Sect	594 35	0							+		<u> </u>		4		╀									0	_	
							Ü				+-		+		+					+		1.992		0	\bot	
Section Sect						+			T		T	Ō	I		T					+		+	<u> </u>	<u>U</u>	+	
G1(35)	666 389				<u>v</u>	+		<u>`</u>	+		+-		1		Ţ				Ŏ	士		1			+	
0.76427	674.365	0	0	I	Ű				_	. 0	+		+		+			U	0	\perp	Ő			0	工	0
				_		1-			T		1	Ō			1			1		+	<u> 0</u>		U	0	+	
1588 9	692832					+-			+		+		L		L	0		0			0		"		+	
1/1980	715 081	0			Ö				+		+-		-		5.0					I			0	0	+	
1923									上				+		╁					╁	<u>-</u>				\mp	
SSSSS						+-			4		F									†-				. U	+	
15378	755,838					-	1		+-		┢		├		-					I			0	0		
TRISTS Q					0				+		+		┢╌		┝					╄		_				
25.665						┼	-	0											<u></u>	╁	<u> </u>			<u> </u>	+-	
1882 0	785 066			+	<u> </u>	 	0		+-		├		L_					<u>'</u> -	Ì	上	_0		<u> </u>	- -	+	
SISCAT			0		Ŏ		Ö		+-		├-				-				_ <u>0</u> _							
O				-	_ 0_	ļ									-			-	- "	+-			-		+-	
818417				+-					+		L						Ď		0_	†			 		+-	
827883				十	<u>v</u>	 	<u> </u>		+-		-				<u> </u>								0	Ů	土	
0.4396 0 0 0 0 0 0 0 0 0									+-						_					200			9			
SB011				┼-	0	1-047	<u> </u>		I	0		0											 	<u>. U</u>	+-	
830524 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	860 17			†	0	333	31		+-	U						0			Ū	1	0		i -	- 0	+	
07/338					0		ő		+		-							-		_				0	上	Û
Substitute Sub				 															<u> </u>	├				- 0	ـــ	
994.133				 			-		12			0			_	0	- (Ů			0			+	
99755 0 0 0 0 0 0 0 0 0				1	_ <u></u>				13.			<u> </u>		_			<u>-</u>	_						0	工	
91162 0 0 0 0 0 0 0 0 0					0		0		1-				_	_				+-							1	
97/24 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	911.162									0		<u> </u>			_	<u>i</u> l-	- 0	+-							+-,,	
920/61 0 0 0 0 0 0 0 0 0	917.24	0		 					-				7.99	871	_		Ó	I	0		0	0	\exists	0		
S(10)			0		0		0	Ů									U	+-						0		0792
32188								0		0		0		0				+					+		┼	
\$320 667	927 168	0	0		0			U	-							0	0		Ü	_	Ō				-	
33504				58.99				Ŏ		Ď						#+-		\vdash					1	0		_0
949744 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	936 644						<u>'—</u>			0								4 000	161				-		-	
S37933	949 744	0	0		0					-0-1							0	4.004	17		0	0		0		0
975 985 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	967.06							0		0		Ď		0		<u> </u>	0						4-		_	0
978 208	975 906								15,							0	0	匚	0		0		\pm		 	
385 304 0 0 0 0 0 0 0 0 0	978.208	0																ļ						0		
393 372 0 0 0 0 0 0 0 0 0	985.304			_	0		0											_								
938 553	993 388							0		Ó		0		0	_								 			
999.905 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	998 553				<u>" </u>								_		_	0	0						_			
101256	999.985	0	0		Ď							<u> </u>							0		<u> </u>	0	工	0		
101312 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				_				0										<u> </u>					+			
1010.05 0 0 0 42.0073 B B B D D D D D D D												0		0									+-			
	10,00		<u> </u>	_	<u> </u>	42 002:				0		0		0		0										0

Fig. 69a

	100	77144	10.786	15,732	24.2382		Li iono	710010	1	100 100	ie	Tage :-	т э		
10 10 10 10 10 10 10 10	101875			0 0	0	40.1985 0	64.4367 0	74.0016 0	114.2	138.428	159.881	233.882	274.081		
185					0	0	0	0		. 0		0			0
1895 1									9 00220					0 0	Ů
1955				0 0		+									0
1965 1								Ď		0] 0				0
1819	103453														0
				<u> </u>		Ü	0								0
												0			1 0
100 100	105076	0			- 			<u>`</u>							
								0	0	0	0	Ď			0
100.14	1063 75														0
1932					·	0	0	0							0
								<u>-</u>						Ö Ö	Ď
B	1080.72	0													0
									0	0	Ò				0
B817	108235				1 0									0 0	0
Color Colo					j		0	Ď	0	0	0				0
1881 1												0	Ô	0 0	0
1983 0	109474	0	[0	Ů										0
								Ů	Ö	0	0	Ö	4.00082		
11193														0 0	Ü
	1104 97	0		i											0
111892					0	0	0	0	0	8.00308					0
111522										0			0	0 0	
11/21 1	111982										V				
112 112						0									
11393												0	Ô	O O	0
115 115	113093	0		Ů											
1440									0	Û	0	0			
11444	114075														0
115160					0	0									
117(4)												0			
1153	1174.62	0	(0
11815						0	0	0							
1185/23												0		0 0	0
11974 0			0	Ī	0	0	0							U	
1192											0		0	0 0	
1192 16			0	0											
1953 0							0	0							
11998	1196.33	0	0	Ū								0	0	4 00615 0	0
120.16				0	0	0									
1203 0									0	0	0	0	0		0
1213 24	1205 36	0												0 0	0
12316 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1213 24		0	Û	0	0	0	0	0						
122653									0	0	0	0	0	0 0	0
12347 0	1228 63	0	0	Ů	0	0									0
123463						0		0	0	0	0	0	0		
123471	1234 63	0											0	0 0	0
124153					0	0									
1281 15										0	0				
1251.13	1248.16	0											8	0 0	0
1256 04 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			115,9960	0	0	0									
12577							0	0	0	0	0				
1265.87 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1257 71													0 399948	0
12/18/		0	0	0	0										
<u> </u>	17/18/		0T	0]	0	0		0	0	il	, i	- 0		0 0	U

Fig. 69b

100	7,7144	10786	15.732	21 2262	10 1006	01.4003									
1281 07	7.7134	10 / 00 (13.132	24.2382	40.1985	64.4367	74.0016	114.2	138,438	159.881	233.882	274,081	298,319	314.051	456,811
1288 82	- 01		U	<u>_</u>	0	000000		0	0		0		0	B	100,011
1293 16	<u>-</u>	0	- 0	- 0	0	200013	0_	0			0	1	<u> </u>	- 	0 -
1294 72	<u>"</u> -		- 0	—— <u> </u>	0	0		0	0		0	0	1	Û	
		0	G	0	0	0	0	0	0	0	0	0	0		
1298.91	0	0	0	0	0	0	8	0	9	0		- 1	0		0
1307 77	0	0	0	-	0	0	8		<u>0</u>	0	1 1	V			
1309 56	0	01	0		0	<u>``</u>		- 6	<u>-</u>	 	1			0	
1318 13	0	0	0	Ô	ï		0	0		<u> </u>	U			0	0
132135	0	0	83,9912	1	il	- 1	- ŏ	- 0		0	 	!		0	0_
133283	8	0	0	0					U	- 0		0	0	0	0
1348.83	0	0	- 1		- U	0		0	0		<u> </u>	0	0	0	0
1361 32	- 1	ől	- U	<u> </u>	—— <u>U</u>	8	0	0	0		9	- 1		0	0
137857	- il-	- 8		- 0 1	0	0	0	0 [0	0	0	01		0	Ů
1384.61	ő			U	. 0	0	0	1	0	0	0		1	<u>_</u>	— ř
1398.14			0	0		0	0	0	10.0017	0	0		- ř	ől	
1408 04			0	0	0	0	0	0	0	8	0	1	 i +		
1425 32		U	0		0		0]	0 1	0	1	1				- U
1438.14		- 0	0_		0	0	0	0	G C	- i	ő		0	0	<u>U</u>
			0		0	0	0 1	0	0	8.99507	n i	- 1	 	n l	0
145002	0	0	0	0	0 {		0 1	0	Û	0	- il	0		0	<u>U</u>
1462.85	0	0	0	0	0	0	- 0	1	Ö	0	0	- " 	U A	<u>0</u>	U
1475.06	0	0	0	0	1		- 1			Ö			0		0
147635	0	8	0	0	ň	ň	ň		- 0		0	0		0	0
LL								U		0	0		_ !	0	0
					··					1					

Fig. 69c

100	456,816	616,638	G90 G9	1 730,831	755,131	170863	781,649	2466	7973	1 .1083	3157	1 2102	2221	1 2000
364501 421428	0	0	0	0	0	1 0	N N	1 7	1363	00.5	0	3197	3221	32367 0
438 127	-	0	0	1 0	0	0	0	1	0		0	0	0	i
443 127	0	0	0	0	- 	0	1	1 .	0	-	0	0	ŋ	0
443 479	0	0	D	1 0	1 0	- "	- 8	0	0	0	0	0	0	0
449757	0	0	0	1	1 0	1 0	1 -	+ +	0	0	0	0	0	00
459 561	J.00601		0		0	0	1 0	1-6			- '	<u> </u>	0	0
473862	0	9	- 0	0	1	0	0	0	Ō	- i	0			
497,495	0	0	0			0		0	0	0	0	Ĭ	Ö	- i
512918	- 0	0	8	0	- <u> </u>	0			1	0	0	0	_ 1	0
513 333		0	0	"	1	0	- B		<u>0</u>	- !	0	0	0	. 0
520151	0	0	j	1 8	1 0	0		-		0	- 0		0	G
547 216	0	0	- 1		Ī	0	 	 	 	- n - l	0	0	- 0	- 0
547 489		0	0_	0	1	i	j	Ö	ij	7	- 1	} -	- 8	0-
556 12 558 378	0	0		- 0		0	0	0	0	ï	0	0	<u>"</u>	0
565 537	0	0	<u> </u> _	0	1 0		0	0	Ū	0	Ī	, i	1	- 1
573 474	0	0	0	1 0		D	0	0	_!	0	0	0	0	0
592 536	0	Ü	0	1 0	1 0	0	0	1 1	- 1	0	-0-1	_ (0
59435	Ü	0	0	0	1 0			- "		0	0	- 0	0	0
614 388	1	0 99627		ĺ	0	0	0	1			0	0		
658 534	0		- 	<u> </u>	0	0	0	0	Ö	Ü	_0	0		
666 389			0	1 0	0		0	0	0	0	Ö	0	- i-	Ö
674 365	0	0	<u>v</u>	1 0	0	0	0	- 0	0	0 1	0	P	0	0
674821	0	Ð	Ū	1 0	 	9	0	0	- 0			- 0	0	- [
682614	0	0	1	Ī	0	Ū				0	-0	0	- 0	
G92 832	0	0	1.0031	0	1	0	- 0	- 1		0	0	0	- 0	
715 001	0	0		0		- 0		0		- "	0	0	0	0
71986C 727883		0		0.000.00	0	0	Ů	Ö	- i l	- -	-		- 0	
750124		0		0 99588	0.00007			0	0	- Ö	Ĭ	Ű	δĺ	
755,838	0	- 0	<u>v</u>	0	099337				0	0		0	Ó	0
759 276	- i l	0	0	1	1 00094	0	0	0	- 1	0	0	0	Ð Ì	0
764.2	- i l		- "	1 0	1.00549	00000	0	-1		0	1	0	ſ	0
768 555	Ö	ő	<u>;</u> _	 "	0	0.99136 0.99701			- 0	0	ᆛ	1	0	0
785 066	U	0	Ō	0	1	0.33101	1.00437	0	-0-	0	0	_ 0		0
808 823		- 0	0	0	Ů	il	1,00137	0		1	0	0	0	
81027	0	- 0	0_	0	0	0	j l	0	-il-	i l	0	- 1	0	
815 97\$						0	Ð	8	0	ñ	ň	<u> </u>	- 1	- il
818 412		0		- "		0		0	0	0	1	i	1	Ť
872 889	0			0	- 0	0	0	0	0	0	0	0	0	0
823.98		0	0	0	0	0	0_	0	0	Ð	0	0	0	0
826 305	0	- 1	0	0	- 0	0	0	0	1	0	0	0	0	Ō
869 17		- il	- i	0		- 0	0	0	- 0	1	0	0	0	
860 624	0	0	à	Ū,	0	- i +	0	0	0	0	0	0	0	0
874 558	0		0		0	Ö		-i-	- 1	i l-	- 1 -	0	0	0
879 <i>6</i> .19 901 957	0	0	- <u>0</u>	0	0	0	0	0	0	ő	0	0	0	
904 338	- 0	0	- 6	0	- 0	- 0	<u> </u>	0	0	1	8	0	1	0
907 95	0 1	-	- 0		0		- A	0	0	O	0	0	0	0
911 167	199459	- "	-			0	0	- 0	0	1	8	0	ſ	0
913 453	1 39961		Ô	i	0	- 1		0	0	0	0	0	0	0
	2 1079	0	0	0	0	ő	- 6	0	- 0	"	0	0	0	
920761		!	!	n l	1	0	Ō	0	n	0	"	0	0	-0 -
971 877 922 336	0	- 0	0	0	0	n	0	Ō	Ö	1	1	0	1	
927 168	0	0	0		0	0	0	1	I	i l	n	- -	- -	
920 067			-0	8	1	0	0	0	n	()	0	0	Ĭ,	0
935 67	- 	-	- 0 +		0	- 0	0	0	0	0	N .	U	0	0
936644	0	0	- i-+			0	0	0	0	0	0	0	0	0
	0	0	0	0	- 1			0	0	0		0		1
949744		0	0	0	0	Ö	- -	- " -	0	" -	" -		0	0
954 939	0		n 1	0 T	0.	0	0	0	0	i 	i -	-0	-	
954 939 967.06	0		- 0			DT	0	0	0	0	Ö			
954 939 967 06 975 906	0	0	0	U	n n					u j	0	0	0	0 1
954 939 967 06 975 906 978 208	0	0	0	0	0	0	0	0	0	0	0	0		0
954 939 967 06 975 906	0 0	0 0 0	0	0	0	0	0	0	0	0	9	0	0	0
954 939 967 06 975 906 978 208 965 304 987 312 993 388	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0 0 0	0	0 0	0	0 0	0	0 0 0	9 0	0 0	0	0 0
954 939 967 06 975 906 976 208 965 304 967 312 993 388 998 553	0 0 0 0 0	0 0 0 0 0 0	0 0 0	0	0	0 0 0	0 0 0	0 0 0	0 0	0 0 0	0 0 0	0 0 0	0 0	0
954 939 967 06 975 906 976 208 965 304 967 312 993 388 998 553 939 985	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0	0 0 0 0	0	0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0 0
954 939 967 06 975 906 976 208 965 304 967 312 993 388 998 553 999 985 1012 56	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0	0 0 0 0 0 0	0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0
954 939 967 06 975 906 976 208 965 304 967 312 993 388 998 553 939 985 101 2 56 101 3 12	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
954 939 967 06 975 906 976 208 965 304 967 312 993 388 998 553 999 985 1012 56	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0


Fig. 69d


The color The	100	456 816	616,688	690,691	730891	755.131	770.863	781,649	2466	2923	3083	2152	2102		т
Heat		1 0				0	0								
No. 10															
100 100									+	<u> </u>	0				0
										+				0	. 0
		0												0	0
10015						0									0
Min Min									0	j					- 0
	103619	9											0	0	0
					0										1
100 100								0		<u></u> <u>-</u> -					
160,175	1059.23												0		0
1805															0
100137															
									0						
	1081.02	1													A
BESTS		0													
1886 9					0										
1991						0	0								
								0	0						
1893	109474	II II											0	İ	
11893				0	Ö										
11192						0									
100 35									0						
11193		0	1	- 0					- 0	0		0			0
111952															
1130															
112/27											0				
111/16		0													
113767															
115586							0								
11-10 1															
	114075												U		
115110															0
11/4 12				0	0	i i									
1155 11 0 0 0 0 0 0 0 0 0					0	0									
118666															
1181 32											0				
1187.73															
1917 0					0							~~-			
1192 0															
1192.46															
119511											0	0			
11933 0								"		0			0	0	
13918		0	- 0	0										0	0
170933															
1205.36										0					
121341		0	0											0	0
127316					0										
12363	1223 16							0	0	0					
123417		0	1.9923										0	0	
123463		- []	99506		0	0									
123411			00203				0	0	0	0	0				
123981 0 <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td>											0				
124753 0 <td></td>															
1248 15		0													
12546	1248 16			0											
125604						0									
125771 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								0	0						
1265.87										0	0 (
1271.87 0 0 0 0 0 0 0 0 0 0 0 0															
	1271,87				0	- 0	-0	0	0						


Fig. 69e


100	456816	G16 G88	690.691	730891	755,131	770863	781 649	2466	2923	3093	3157	3197	3221	32367
1281 07	0	0	0		0	1	1	0		0	0	0	0	0
1288.87	- il	0	i	T O	0	i	Q	0	0			0	0	Û
1293 16	- (i	()	8		8		0	9	8	8	8	0	0	()
129472	n	0	0	0	0	1)	0	8	0	0	1	0	Ŋ	ß
1298 91	0	0.	1	1)	8	0	0	0	0	Ø	0	0	Û	Ü
130777	0	8		0	0	0	0	0	0	1	1	0	- (0
1309 56	ß	0		0	0	0	0	8	0	ß	8	ı ı	Q	ß
1318.13	0	0	D	1	9	0	0	0	0	1	- 8	8	8	0
1321,35	D	0	0		8	0	0	9	0	0	9	Û	0	9
133283	0	01	0	0	0	0	0	0	0	Q	0	0	0	0
1348 83	Ī	0	J		0		0	B	1	0	8	0	0	Ū.
1361 32	0	8	1		0	0	0	ß	0	0	0	0	8	0
1378 57	0	Ö	1 99593	i	Ī	Ô	0	0	0	-	0	0	()	1
138461	0	0	2 00467		1	0	0	Ī	1	0	0	1	0	0
1398 14	0	0	g		0	0	0	6	1	0	0	0	A	Q
1408114	0	0	8	0	0	8	8	1	ñ	1	0	8	8	8
1425 32		D	0	0	Ô	j	0	O	0	0	Ō	0	0	0
1438,14		0	0	0	Û		8	0	0	0	0	0	0	D
145002	0	G	0	0	0	Q	0	0	0	0	0	_0	ſ	0
146285	0	0	0	2.00146	0	0	0	0	0	0	(0	0	Q
1475.06	0	8	8	8	0	8	8	0	0	0	0	8	ß	8
147635	n	0		0	Ū	0	0	0	0	0	0	0	0	0

Fig. 69f










Bunsen Burner Only



F16. 749

F16. 74 b

6 min 8 min 10 min 12 min

9

6.4

6.2

5.8

5.6

Hd

Na Lamp Only

-Maries2 -★-Series3

-- Series1

F16. 74C

14 min | 16 min | 18 min | 20 min | 40 min

6.18

6.2

6.19 6.13 6.14

6.13

6.16

6.14

6.09

6.08

6.04

6.03 6.02 5.97

5.93 5.91 5.9

5.63

5.65 5.64 5.56

-4-Series1

———Series2 ———Series3

4 min

2 min after NaCl

55 C

Room Temp

Ŋ

5.2

5.4

6.09

90.9


6.04

6.02

5.61

6.14

Averages of 3 Different Experimental Conditions




F16. 74 d

-A-Series3 --- Series1 -a-Series2 10 min | 12 min | 14 min | 16 min | 18 min | 20 min | 40 min 6.28 6.34 6.28 6.25 6.28 6.27 6.28 6.25 6.24 6.24 6.23 6.27 Na Lamp - Conditioning and After NaCl 6.26 6.23 6.23 6.25 6.22 6.21 6.18 6.24 6.2 8 min 6.22 6.16 6.18 6 min 6.19 6.13 6.16 4 min 6.16 60.9 6.14 2 min after NaCl 6.09 6.08 9 55 C 5.72 5.67 5.66 Room Temp 5.69 5.71 5.7 6.4 J → Series1 -4-Series3 6.2 5.2 5.8 5.6 5.4 9 Ηd


F16, 74e

Na Lamp Conditioning of Water




F16. 745

Averages of 3 Different Experimental Conditions




F16. 748

Decay Curves for Na Lamp Conditioning of Water




F16. 74 h

Activation Curves for Na Lamp Conditioning in Water




E16. 746

Spectrally Irradiated Solute (Sodium Chloride)




F16. 74j

1. Conductivity - Bunsen Burner Only




F16. 75a

1. Conductivity - Bunsen Burner Only




F16. 75 b

F16. 75c




2. Conductivity - Sodium Irradiation 40 Minutes Before the Sait




F16. 75 d

2. Conductivity - Sodium Irradiation 40 Minutes Before the Salt




F16. 75 e

2. Conductivity - Sodium Irradiation 40 Minutes Before the Salt



F16. 75 f


3. Conductivity - Sodium trradiation 40 Minutes After the Salt




F16. 758

3. Conductivity - Sodium irradiation 40 Minutes After the Sait

F16. 75 h




3. Conductivity - Sodium Irradiation 40 Minutes After the Sait




F16 75 i


4. Conductivity - Sodium Irradiation Before and After the Salt




4. Conductivity - Sodium Irradiation Before and After the Sait




4. Conductivity - Sodium Irradiation 40 Minutes Before and After the Salt




Conductivity - Averages of 4 Different Experimental Conditions




Conductivity - Averages of 4 Different Experimental Conditions




· · · · · rradiation Before and After the NaCl - - ◆ - - Bunsen Burner Only Conductivity - Averages of 4 Different Experimental Conditions Measurements ∞ 2 min. after NaCl Conductivity (MicroSeimens)







Enhancement of Sodium Chloride Electrolyte With Sodium Spectral Irradiation




II. Rate of Current Increase in Sodium Chloride Electrolyte Battery







F16.80

II. Rate of Current Increase in Sodium Chloride Electrolyte Battery






F16.80




,


•

-






Membrane/electrode assembly with backing layers.





F16. 84




Enlarged cross-section of a membrane/electrode assembly showing structural details.


F16. 85 b





F16.86b





A 3 cell fuel cell stack with two bipolar plates and two end plates.